

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

280,3479
134P

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
July 1965

JUN 24 1965

September 2, 1965
~~EXHIBIT SERIAL RECORDS~~

Inspected Poultry - A total of 813,398,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during July 1965 under the Poultry Inspection Act carried on by the U.S.D.A. This was 3 percent more than the previous month and 7 percent more than July 1964.

The number of head and pounds (live weight) inspected by classes in July 1965 were young chickens, 190,056,000 head, 643,492,000 pounds; mature chickens, 8,624,000 head, 41,987,000 pounds; fryer-roaster turkeys, 1,336,000 head, 11,785,000 pounds; young turkeys, 6,113,000 head, 101,723,000 pounds; old turkeys, 329,000 head, 6,229,000 pounds; and ducks, 1,292,000 head, 8,182,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in July 1965 totaled 597,166,000 pounds ready-to-cook weight of which 459,091,000 pounds were chilled and 138,075,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 467,252,000 pounds; mature chickens, 28,023,000 pounds; fryer-roaster turkeys, 9,105,000 pounds; young turkeys, 81,584,000 pounds; old turkeys, 4,966,000 pounds; ducks, 5,866,000 pounds; and other poultry, 370,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in July 1965 totaled 63,944,000 pounds ready-to-cook weight, compared with 48,797,000 pounds in July 1964. The quantity used in July 1965 consisted of 10,847,000 pounds of young chickens, 28,332,000 pounds of mature chickens, 21,700,000 pounds of turkeys, and 3,065,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during July 1965 totaled 91,128,000 pounds ready-to-cook weight compared with 79,344,000 pounds in July 1964. The breakdown by classes for July 1965 consisted of 85,048,000 pounds of young chickens, 630,000 pounds of mature chickens, 5,397,000 pounds of turkeys, and 53,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,142,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.26 percent; mature chickens, 0.57 percent; fryer-roaster turkeys, 0.13 percent; young turkeys, 0.19 percent; old turkeys, 0.06 percent; and ducks, 0.02 percent.

Post-mortem condemnations in July 1965 amounted to 15,678,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.24 percent; mature chickens, 3.39 percent; fryer-roaster turkeys, 1.63 percent; young turkeys, 1.21 percent; old turkeys, 1.82 percent; and ducks, 1.14 percent. In July 1964 the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.03 percent; mature chickens, 3.12 percent; fryer-roaster turkeys, 1.57 percent; young turkeys, 1.29 percent; old turkeys, 2.09 percent; and ducks, 1.38 percent.

Poultry: Slaughtered under Federal Inspection, July 1965 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight					
	July		Thou.	June		Thou.	July		June		July	
	1965	1964		1965	1964		1965	1964	1965	1964	1965	1964
	Thou.	Thou.		pounds	pounds		pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	192,552	177,577	190,056	1,132,704	1,182,344	669,202	598,739	643,492	3,916,249	4,095,927	3.48	3.37
Mature chickens 1/	8,577	8,865	8,624	66,459	70,025	41,874	42,073	41,987	323,640	331,758	4.88	4.75
Total chickens	201,129	186,442	198,680	1,199,163	1,252,369	711,076	640,812	685,479	4,239,889	4,427,685	3.54	3.44
Fryer-roasters	1,341	1,389	1,336	7,762	6,835	11,995	11,802	11,785	67,015	60,394	8.94	8.50
Young turkeys 2/	2,517	5,506	6,113	11,233	12,612	41,890	89,493	101,723	198,998	223,581	16.64	16.25
Old turkeys	752	400	329	2,319	1,678	14,403	7,182	6,229	45,728	32,616	19.15	17.96
Total turkeys	4,610	7,295	7,778	21,314	21,125	68,288	108,477	119,737	311,741	316,591	14.81	14.87
Ducks	1,379	1,420	1,292	5,924	5,711	8,749	8,809	8,182	37,481	36,563	6.34	6.20
Other poultry	---	---	---	---	---	724	951	599	2,301	2,530	---	---
Total poultry	---	---	---	---	---	788,837	759,049	813,997	4,591,512	4,783,369	---	---

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was June 1965, 1,661; July 1964, 1,436; and July 1965, 1,780.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: June 1965, 382; July 1964, 71; and July 1965, 284.

Pounds certified (ready-to-cook weights)

Class	June 1965			July 1964			July 1965			January-July 1964			January-July 1965		
	Chilled		Total	Chilled		Total	Chilled		Total	Chilled		Total	Chilled		Total
	pounds	pounds		pounds	pounds		pounds	pounds		pounds	pounds		pounds	pounds	
Young chickens	439,152	47,638	486,790	387,646	48,304	435,950	420,159	47,093	467,252	2,504,042	324,573	2,828,615	2,659,584	304,546	2,964,130
Mature chickens	19,387	8,580	27,967	16,861	11,397	28,258	18,896	9,127	28,023	138,090	80,560	218,650	153,534	67,945	221,479
Total chickens	458,539	56,218	514,757	404,507	59,701	464,208	439,055	56,220	495,275	2,642,132	405,133	3,047,265	2,813,118	372,491	3,185,609
Fryer-roasters	2,043	7,302	9,345	1,132	7,949	9,081	1,864	7,241	9,105	9,158	42,666	51,824	11,850	35,065	46,915
Young turkeys	8,682	25,147	33,829	8,810	62,918	71,728	17,000	64,584	81,584	28,177	130,913	159,090	40,426	138,903	179,329
Old turkeys	3,083	8,490	11,573	753	4,991	5,744	1,000	3,966	4,966	4,211	32,292	36,503	6,487	19,619	26,106
Total turkeys	13,808	40,939	54,747	10,695	75,858	86,553	19,864	75,791	95,655	41,546	205,871	247,417	58,763	193,587	252,350
Ducks	377	5,971	6,348	86	6,204	6,290	155	5,711	5,866	948	25,766	26,714	1,569	24,754	26,323
Other poultry	23	440	463	5	617	622	17	353	370	59	1,347	1,406	84	1,437	1,521
Total poultry	472,747	103,568	576,315	415,293	142,380	557,673	459,091	138,075	597,166	2,684,685	638,117	3,322,802	2,873,534	592,269	3,465,803

Poultry: Condemnations of poultry slaughtered under Federal Inspection, July 1965 with comparisons

Class	Ante-mortem condemnations					Post-mortem condemnations				
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Percent 2/		Pounds (N.Y. dressed wt.)	
	July	1965	July	1964	July	1965	July	1964	July	1965
Young chickens	1,000	1,000			1,000	1,000			1,000	1,000
Mature chickens	1,614	1,689	0.27	0.26	9,608	9,574	2.03	2.24	95,920	100,127
Total chickens	1,999	2,399	.47	.57	1,560	1,176	3.12	3.39	8,548	9,783
	1,813	1,928	.28	.28	10,970	11,134	2.10	2.31	104,468	109,910
Fryer-roasters	17	15	.14	.13	117	127	1.57	1.63	812	739
Young turkeys	115	191	.13	.19	296	403	1.29	1.21	2,566	3,055
Old turkeys	6	4	.09	.06	57	39	2.09	1.82	903	701
Total turkeys	138	210	.13	.18	470	569	1.38	1.28	4,281	4,495
Ducks	2	2	.02	.02	6	10	1.38	1.14	484	400
Other poultry	1	2	.08	.27	3	3	1.40	1.12	33	16
Total	1,954	2,142	.26	.26	11,449	11,716	1.99	2.15	109,266	114,821

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, July 1965 with comparisons 1/

Class	Pounds used ready-to-cook weight					Pounds condemned ready-to-cook weight				
	June		July		June		July		January-July	
	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964
Young chickens	14,413	10,840	10,847	74,059	33	16	25	71	163	---
Further processed	88,760	74,061	85,048	474,583	---	---	---	---	---	---
Cut up										
Mature chickens	26,449	18,082	28,332	139,550	17	16	16	115	112	---
Further processed	615	561	630	5,656	---	---	---	---	---	---
Cut up										
Turkeys	19,060	17,132	21,700	108,031	27	11	8	31	59	---
Further processed	5,249	4,662	5,397	24,300	---	---	---	---	---	---
Cut up										
Other poultry 2/	3,573	2,743	3,065	24,558	3	7	2	37	12	---
Further processed	106	60	53	402	---	---	---	---	---	---
Cut up										
Total	63,495	48,797	63,944	346,198	80	50	51	254	346	---
Further processed	94,730	79,344	91,128	504,941	---	---	---	---	---	---
Cut up										

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1964 and 1965

Region and State	Number inspected	Pounds inspected		Average live weight		Total pounds certified		Pounds (NYD)		Percent	
		1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
N. Atl.	Thou. 14,605	55,038	1,000	3.77	3.79	39,854	1,000	982	1,000	1.95	2.58
E. N. Cent.	2,574	8,798	56,649	3.42	3.47	6,495	88	125	1,312	1.12	1.57
W. N. Cent.	4,384	14,165	12,048	3.23	3.21	10,224	8,663	216	198	1.56	2.00
S. Atl.	76,058	260,695	276,382	3.43	3.45	191,465	200,885	5,992	4,635	1.98	2.41
S. Cent.	76,113	246,707	275,114	3.24	3.25	178,339	199,895	5,027	4,760	2.15	2.04
West	3,843	13,336	14,412	3.47	3.58	9,573	10,248	259	269	2.25	2.00
U. S.	177,577	598,739	643,492	3.37	3.39	435,950	467,252	10,912	12,931	2.03	2.24
Maine	5,984	23,104	23,064	3.86	3.85	17,121	17,034	355	455	1.71	2.20
Conn. 3/	816	3,015	---	3.70	---	2,110	---	55	---	2.05	---
Pa.	7,836	26,759	29,184	3.68	3.72	19,304	21,015	512	766	2.13	2.92
Ohio	287	1,601	1,093	3.58	3.81	1,177	790	22	20	1.50	2.08
Ind.	1,004	3,140	3,615	3.13	3.17	2,309	2,663	20	38	.71	1.17
Ill.-Mich. 4/	19	116	199	6.11	6.63	87	147	2	3	1.95	1.68
Wis.	1,105	3,941	3,980	3.57	3.60	2,922	2,957	44	64	1.24	1.79
Minn.	560	2,586	2,041	3.62	3.64	1,950	1,532	22	14	.94	.78
Iowa	53	258	147	4.82	5.01	192	107	1	2	.66	1.44
Mo.	3,616	11,321	9,860	3.13	3.12	8,082	7,024	175	200	1.72	2.26
Del.	7,985	29,634	31,147	3.71	3.69	21,927	22,774	554	720	2.08	2.57
Md.	10,600	39,026	41,230	3.68	3.66	27,929	29,625	783	1,082	2.24	2.92
Va.	4,283	13,127	12,756	3.06	2.96	9,201	8,757	210	369	1.78	3.22
N. C.	18,876	63,519	70,982	3.37	3.45	46,907	51,666	844	1,415	1.48	2.22
S. C.	2,046	6,942	7,847	3.39	3.41	5,023	5,660	207	198	3.32	2.81
Ga.	30,972	104,293	108,664	3.37	3.40	77,445	79,714	1,996	2,115	2.13	2.17
Ky.	2,031	6,769	7,216	3.33	3.41	4,827	5,127	70	73	1.16	1.13
Tenn.	5,325	17,524	18,916	3.29	3.35	12,874	13,798	272	275	1.73	1.62
Ala.	18,040	59,962	72,007	3.32	3.37	43,965	52,857	954	1,193	1.77	1.85
Miss.	13,562	44,107	46,094	3.25	3.27	31,983	34,003	1,066	845	2.70	2.04
Ark.	23,041	72,655	82,370	3.15	3.10	51,852	58,920	1,494	1,626	2.29	2.20
La.-Okla. 4/	4,311	11,223	14,113	3.25	3.27	8,179	10,322	223	314	2.21	2.48
Texas	10,656	34,546	34,398	3.24	3.25	24,659	24,868	681	701	2.20	2.27
Idaho	455	1,574	1,251	3.46	3.40	1,156	914	24	18	1.70	1.67
Wash.	782	2,771	2,759	3.54	3.53	2,009	1,994	29	32	1.15	1.28
Calif.	2,583	8,910	9,009	3.45	3.66	6,349	6,309	215	184	2.69	2.29

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1964 and 1965

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified		Pounds (NYD)		Percent	
		1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
		Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Percent	Percent
N. Atl.	1,143	1,030	1,143	5,975	5,124	5.23	4.97	1,000	1,000	2.16	2.70
E. N. Cent.	1,666	1,320	1,666	6,824	5,556	4.10	4.21	116	124	2.53	2.81
W. N. Cent.	2,162	2,120	2,162	9,414	9,435	4.35	4.45	155	140	2.53	3.82
S. Atl.	1,425	1,579	1,425	7,558	8,778	5.30	5.56	304	322	3.61	3.38
S. Cent.	1,259	1,488	1,259	6,908	8,389	5.49	5.64	205	266	3.02	3.54
West	1,210	1,087	1,210	5,394	4,705	4.46	4.33	211	158	3.42	3.75
U. S.	8,865	8,624	8,865	42,073	41,987	4.75	4.87	1,176	1,275	3.12	3.39
Maine	200	248	200	1,258	1,512	6.28	6.09	29	35	2.56	2.52
N. J.	488	457	488	2,081	1,919	4.26	4.20	51	59	2.75	3.44
Pa.	264	199	264	1,453	1,046	5.49	5.25	18	19	1.39	2.00
Ohio	629	493	629	2,595	2,058	4.12	4.17	68	47	2.91	2.56
Ind.	313	382	313	1,337	1,646	4.27	4.31	34	48	2.80	3.26
Ill.	492	354	492	1,906	1,418	3.88	4.01	32	32	1.89	2.58
Wis.	105	58	105	462	296	4.39	5.09	13	10	3.06	3.77
Minn.	914	914	914	3,734	3,662	4.08	4.01	141	160	4.23	4.86
Iowa 3/	88	---	88	437	---	4.95	---	4	---	1.16	---
Mo.	730	722	730	3,528	3,869	4.83	5.36	80	85	2.54	2.46
Nebr. 3/	429	---	429	1,709	---	3.98	---	79	---	5.18	---
Del.	15	23	15	112	174	7.26	7.50	3	5	2.65	2.99
Md.	439	371	439	1,798	1,518	4.10	4.09	31	36	1.89	2.67
Va.	166	139	166	888	889	5.37	6.40	19	19	2.42	2.31
N. C.	394	366	394	2,237	2,441	5.68	6.67	62	77	3.11	3.52
S. C.	16	6	16	115	47	7.27	8.07	4	1	3.84	2.47
Ga.	385	538	385	2,356	3,156	6.11	5.86	85	112	4.02	3.99
Ky.	70	14	70	464	78	6.61	5.62	7	2	1.56	2.77
Tenn.	163	196	163	910	1,125	5.59	5.73	24	41	3.04	4.09
Ala.	48	140	48	313	1,056	6.49	7.55	9	29	3.28	3.08
Miss.	420	644	420	1,855	2,890	4.42	4.49	65	91	3.92	3.52
Ark.	127	147	127	954	1,116	7.49	7.59	31	31	2.43	3.07
La.-Okla. 4/	143	117	143	934	859	6.53	7.34	21	24	3.73	3.12
Texas	288	230	288	1,478	1,265	5.13	5.51	54	47	4.09	4.17
Idaho	22	47	22	101	184	4.64	3.94	2	4	2.11	2.57
Wash.	135	108	135	596	514	4.41	4.76	18	17	3.37	3.79
Calif.	1,013	844	1,013	4,548	3,661	4.49	4.34	162	127	3.98	3.85

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, July 1965

Region and State	Tuber- culosis : kosis		Septi- cemia : vitis		Airsac- culitis : vitis		Syno- tumor		Bruises		Cadaver		Contam- ination : scald		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	88	3,914	12,779	21	813	4,084	4,084	409	898	1,528	140	140	6,017		30,691		
E. N. Cent.	2,094	6,623	16,095	43	421	6,278	6,278	1,249	1,010	2,653	439	439	1,730		38,635		
W. N. Cent.	11,686	11,580	26,625	327	169	13,849	13,849	2,429	1,315	6,566	816	816	10,212		85,574		
S. Atl.	17	4,106	23,996	694	2,162	8,396	8,396	943	2,974	4,993	151	151	5,054		53,086		
S. Cent.	2	6,751	19,650	299	1,014	11,819	11,819	705	3,351	4,760	174	174	4,937		53,462		
West	---	1,218	16,771	64	217	13,167	13,167	880	672	2,356	77	77	8,443		43,865		
U. S.	13,887	34,192	115,516	1,448	4,796	57,593	57,593	6,615	10,220	22,856	1,797	1,797	36,393		305,313		
Maine	---	500	3,252	10	427	467	467	38	106	518	100	100	418		5,836		
N. J.	87	2,782	5,810	4	268	2,841	2,841	201	522	611	12	12	5,122		18,260		
Pa.	1	516	2,653	7	10	535	535	124	164	229	12	12	393		4,644		
Ohio	294	2,447	3,704	17	15	2,680	2,680	281	501	992	280	280	1,274		12,485		
Ind.	75	2,444	6,469	12	271	2,187	2,187	765	254	1,219	148	148	29		13,873		
Ill.	1,205	1,198	4,478	---	116	1,188	1,188	144	197	316	5	5	348		9,195		
Wis.	517	522	1,092	2	19	141	141	29	52	122	3	3	61		2,560		
Minn.	6,361	4,107	12,640	91	72	9,990	9,990	1,371	537	4,407	667	667	4,114		44,357		
Mo.	741	3,603	9,394	64	52	895	895	574	651	467	116	116	1,035		17,592		
Del.	---	140	194	8	48	47	47	6	21	38	6	6	49		557		
Md.	17	1,319	4,630	524	648	387	387	137	500	446	47	47	336		8,991		
Va.	---	329	2,177	7	274	520	520	57	96	292	3	3	3		3,758		
N. C.	---	1,295	7,433	78	617	1,488	1,488	241	276	1,948	64	64	701		14,141		
S. C.	---	18	25	---	10	12	12	6	1	22	---	---	41		135		
Ga.	---	740	7,945	76	419	4,637	4,637	304	1,995	1,877	25	25	2,999		21,017		
Ky.	---	22	238	2	8	45	45	3	12	129	---	---	---		459		
Tenn.	---	381	2,041	30	217	1,609	1,609	58	155	1,440	109	109	1,578		7,618		
Ala.	---	159	1,684	15	143	245	245	43	154	778	3	3	461		3,685		
Miss.	---	648	8,206	1	256	9,354	9,354	383	2,714	920	56	56	327		22,865		
Ark.	---	141	2,408	212	92	130	130	34	82	557	5	5	385		4,046		
La.-Okla. 1/	2	737	1,621	3	116	103	103	32	102	287	1	1	439		3,443		
Texas	---	4,663	3,452	36	182	333	333	152	132	649	---	---	1,747		11,346		
Idaho	---	27	590	---	4	332	332	37	51	203	4	4	57		1,305		
Wash.	---	316	1,994	---	14	475	475	49	57	473	5	5	1,150		4,533		
Calif.	---	452	12,529	61	196	12,187	12,187	652	473	1,486	67	67	6,531		34,634		

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, July 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1964 : 1965 :		1964 : 1965 :		1964 : 1965 :		1964 : 1965 :		1964 : 1965 :	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl.	60	94	1,090	1,926	18.17	20.49	876	1,517	7	19
E. N. Cent.	516	539	7,953	8,578	15.41	15.91	6,361	6,944	89	69
W. N. Cent.	2,091	2,277	31,993	36,916	15.30	16.21	25,896	29,941	287	356
S. Atl.	461	644	7,453	10,603	16.17	16.46	5,792	8,332	130	136
S. Cent.	828	978	13,090	15,523	15.81	15.87	10,326	12,437	164	163
West	1,550	1,581	27,914	28,177	18.01	17.82	22,477	22,413	364	364
U. S.	5,506	6,113	89,493	101,723	16.25	16.64	71,728	81,584	1,041	1,107
Pa.	41	51	646	884	15.68	17.43	524	742	4	4
Ohio	113	120	1,782	2,018	15.77	16.82	1,423	1,650	12	10
Ind.	150	162	2,274	2,440	15.14	15.08	1,864	2,002	7	18
Ill.-Mich. 3/	32	36	418	707	13.06	19.64	335	561	2	4
Wis.	221	221	3,479	3,413	15.72	15.46	2,739	2,731	68	37
Minn.	1,013	1,123	15,377	18,437	15.18	16.42	12,490	15,016	142	181
Iowa	622	596	9,627	9,530	15.47	15.99	7,756	7,685	85	80
Mo.	261	384	3,866	6,222	14.81	16.20	3,120	5,037	31	73
Nebr.	118	132	2,069	2,130	17.55	16.12	1,675	1,718	18	17
Va.	162	256	2,749	4,117	16.97	16.07	2,036	3,126	65	65
N. C.	236	279	3,714	5,016	15.75	17.95	2,976	4,026	57	58
Ark.	331	392	4,834	5,912	14.62	15.06	3,757	4,768	47	73
Texas	275	290	4,830	4,659	17.53	16.07	3,846	3,726	73	59
Colo.	250	191	4,913	3,690	19.65	19.32	4,067	3,045	75	36
Utah	211	204	3,536	3,455	16.77	16.90	2,847	2,776	23	38
Calif.	987	1,086	17,913	19,398	18.14	17.86	14,307	15,291	255	274

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, July 1965

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	7	525	148	24	---	34	53	53	5	22	871
E. N. Cent.	---	25	1,693	1,204	409	10	51	232	280	37	126	4,067
W. N. Cent.	---	158	10,025	6,466	1,584	57	312	785	1,023	271	465	21,146
S. Atl.	---	160	4,695	1,390	813	37	55	370	782	79	74	8,455
S. Cent.	---	46	4,564	2,218	882	63	118	370	452	41	635	9,389
West	---	105	10,520	6,338	1,111	120	412	362	848	103	129	20,048
U. S.	---	501	32,022	17,764	4,823	287	982	2,172	3,438	536	1,451	63,976
Pa.	---	3	154	18	7	---	14	41	6	---	7	250
Ohio	---	2	168	62	59	3	1	20	53	16	69	453
Ind.	---	11	412	468	124	---	14	121	20	14	---	1,184
Ill.-Mich. 1/	---	---	62	17	1	---	3	61	18	3	57	222
Wis.	---	12	1,051	657	225	7	33	30	189	4	---	2,208
Minn.	---	15	4,483	3,601	824	6	168	540	632	92	99	10,460
Iowa	---	121	2,707	1,446	453	6	79	92	171	37	131	5,243
Mo.	---	19	2,157	1,208	149	4	36	100	121	117	221	4,132
Nebr.	---	3	494	140	118	41	26	8	76	25	14	945
Va.	---	42	2,652	817	546	18	14	244	107	15	4	4,459
N. C.	---	5	1,600	490	223	19	37	102	639	35	27	3,177
Ark.	---	12	2,166	1,056	167	25	55	115	225	9	156	3,986
Texas	---	21	1,700	911	594	14	48	124	104	17	337	3,870
Colo.	---	---	953	445	121	2	102	36	83	3	---	1,745
Utah	---	3	1,294	196	372	---	106	131	42	7	21	2,172
Calif.	---	97	7,844	5,573	617	96	173	164	500	92	107	15,263

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, July 1964 and 1965

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
		1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
		Thou.	Thou.	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl.	42	19	1,000	8.18	9.44	256	1,000	3	2	1.13	1.19
E. N. Cent.	100	266	2,471	9.13	9.29	711	1,902	17	25	2.07	1.12
W. N. Cent.	462	378	3,339	8.75	8.83	3,212	2,671	47	31	1.29	1.03
S. Atl.	479	464	4,021	8.28	8.67	2,979	3,033	66	74	1.85	2.05
S. Cent.	38	11	97	8.03	8.82	224	75	7	1	2.56	1.15
West	268	198	1,673	8.32	8.45	1,699	1,288	27	40	1.35	2.66
U. S.	1,389	1,336	11,802	8.50	8.82	9,081	9,105	167	173	1.57	1.63
Ohio	30	38	265	8.89	9.40	204	274	4	5	1.37	1.64
Wis.	70	215	648	9.26	9.31	507	1,540	13	20	2.28	1.08
Minn.	378	337	3,310	8.76	8.87	2,642	2,396	35	29	1.18	1.09
Iowa 3/	57	20	511	9.04	9.08	400	138	9	---	2.05	---
Va.	441	412	3,677	8.34	8.68	2,750	2,684	62	71	1.88	2.22
Calif.	261	193	2,174	8.34	8.49	1,656	1,260	27	40	1.38	2.74

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, July 1965

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver inflation	Contam- ination	Over- scaled	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	91	2	1	---	2	33	15	---	1	145
E. N. Cent.	---	16	1,114	1,221	198	17	13	56	173	6	1	2,815
W. N. Cent.	---	4	1,464	808	83	7	50	150	593	16	16	3,191
S. Atl.	---	42	2,851	4,396	445	1	37	243	301	101	24	8,441
S. Cent.	---	---	38	21	14	---	8	2	62	---	5	150
West	---	9	2,681	1,084	795	---	42	47	168	63	34	4,923
U. S.	---	71	8,239	7,532	1,536	25	152	531	1,312	186	81	19,665
Ohio	---	3	76	413	25	16	2	14	81	2	1	633
Wis.	---	12	1,027	804	173	1	11	28	90	3	---	2,149
Minn.	---	4	1,357	772	80	6	37	113	565	12	14	2,960
Iowa	---	---	30	5	---	1	10	5	5	4	2	72
Va.	---	39	2,748	4,384	428	1	36	235	244	38	20	8,173
Calif.	---	9	2,657	1,084	795	---	40	40	162	63	34	4,884

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, July 1964 and 1965

Region and State	Number inspected	Pounds inspected (live weight)	Average live weight inspected 1/	Total pounds : certified				Post-mortem condemnations			
				1964	1965	1964	1965	1964	1965	1964	1965
	Thou.	pounds	Pounds	1,000	1,000	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl. 3/	9	157	18.13	1,000	1,000	123	83	1	---	0.51	---
E. N. Cent.	36	641	17.81	1,534	1,239	523	1,239	11	19	1.91	1.38
W. N. Cent.	80	1,397	17.46	1,264	1,007	1,111	1,007	27	23	2.15	2.02
S. Atl.	84	1,365	16.25	574	440	1,081	440	28	14	2.28	2.71
S. Cent.	5	74	14.80	194	153	58	153	1	2	1.51	1.15
West	186	3,548	19.08	2,562	2,044	2,848	2,044	67	44	2.10	1.91
U. S.	400	7,182	17.96	6,229	4,966	5,744	4,966	135	102	2.09	1.82
Ohio	17	293	17.22	805	657	240	657	2	8	.66	1.15
Minn.	67	1,214	18.22	1,188	947	966	947	26	23	2.32	2.17
Iowa 3/ 4/	3	44	14.91	---	---	35	---	---	---	---	---
Calif.	144	2,782	19.37	1,294	1,039	2,230	1,039	53	20	2.12	1.68

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, July 1965

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver : ination	Contam- ination	Over- : scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	5	5	---	---	---	---	---	---	---	10
E. N. Cent.	---	18	363	94	21	10	7	50	87	8	56	714
W. N. Cent.	---	4	520	366	9	4	27	13	50	---	52	1,045
S. Atl.	---	10	211	101	---	15	---	7	13	---	43	400
S. Cent.	---	---	58	14	7	---	1	5	6	---	36	127
West	---	82	1,037	368	39	44	38	72	61	14	5	1,760
U. S.	---	114	2,194	948	76	73	73	147	217	22	192	4,056
Ohio	---	12	141	27	17	9	---	19	65	---	56	346
Minn.	---	2	509	360	7	4	27	13	50	---	52	1,024
Calif.	---	37	602	13	31	43	5	12	33	11	5	792

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.